

ORION™

# MANUAL TILT WHEELCHAIR

The Future of better living is here...



 **FUTURE**  
MOBILITY PRODUCTS

Toll-free: 1-855-938-8873 (1-855-9-FUTURE), Fax: 716-783-9236, [www.futuremobility.com](http://www.futuremobility.com)



**Orion II** comes with standard seating Orion back, ideal cushion, fixed large headrest and a padded laptray. The push canes and stroller bars allow for easy control by the caregiver.

## ACCESSORIES



Small Headrest with lateral support



Medium Headrest with lateral support



Large Headrest with lateral support



Clear Lap Tray



Padded Lap Tray



Half Padded Lap Tray



"Links" Headrest Hardware with curved tube



Dual Multi-Axial Hardware



Single Multi-Axial Hardware



Fixed Hardware



Oxygen Tank Holder

ORION

# MANUAL TILT WHEELCHAIR



- T-style adjustable height footrest



- Swivelcast front height-adjust have the option of swing-out or dual swing-in, swing-out, ideal when transporting and assisting the client.
- Many footplate options available.



- Tilting legrest with calf pad, allows the client positioning options for comfort and pressure relief



- Trigger handles for tilt and/or recline



- Quick release axle for easy removal (Optional)
- Airless or pneumatic tires available with steel or plastic coated handrims.



- Lock in flip up anti-tippers (Optional)
- Multi adjustable axle plate allows for many seat to floor heights and center of gravity adjustment



- Gas cylinder and post-loc, locked underneath the chair, allows for a gentle, slow tilt for the client lockable at infinite angles



- Wheel lock available in both push or pull to lock options
- Brake extension built into handle

**Future Mobility Products** manufactures innovative seating and mobility solutions for today's healthcare market.

**Orion //** is the most innovative and affordable tilt-in-space wheelchair on the market today. Developed for those individuals requiring adjustability to redistribute their body weight for optimal positioning purposes, the **Orion //** offers 3-48 degrees of tilt, optional 6-36 degrees of recline, standard on-chair adjustable seating system, incredible range of seat-to-floor heights and creative streamlined design.

**Orion //** ... Dynamic and progressive, allows the user to function independently.

MADE IN  
CANADA

## SPECIFICATIONS:

SEAT WIDTHS	15" - 24"
SEAT DEPTHS	15" - 24"
OVERALL SEAT WIDTH	Seat width + 9.5" including handrim (handrim to handrim)
SEAT TO FLOOR HEIGHT	13 1/4" - 20"
REAR WHEEL	12", 20", 22" or 24" Composite Urethane
CASTER SIZE	4", 5", 6", 7", 8" Urethane
BACK STYLE	Orion back (16", 18", 20" H). Low or tall push canes with stroller bars
ADJUSTABLE BACK ANGLE	-7°, 0°, 7°, 14°, 21°
ARM STYLE	Full length adjustable height t-style (gel or vinyl) Full length adjustable height pin release t-style (gel or vinyl) Full length adjustable height flip back (gel or vinyl)
FRONT RIGGING	Pin style, swingaway, dual swingaway, elevating legrests or dual elevating legrests
WEIGHT CAPACITY	350 lbs (159 kg)
PRODUCT WEIGHT	65 lbs. (including seating system)
FRAME MATERIAL	Steel
FRAME COLOURS	Black or Silver

## STANDARD FEATURES:

- 3-48 degrees of tilt
- 6-36 degrees of recline (optional)
- Incredible low 13 1/4" seat-to-floor height
- Standard seating system consisting of: two way contoured padded fixed headrest, Orion back with 1" depth adjustability and Prism Ideal Cushion
- Aluminum seat pan
- Multi adjustable axle plate
- Removable rear wheels with stainless steel or plastic coated handrims
- Arm heights: 9 1/2" - 14" (adjustable), Gel padding
- 70 degree pinstyle front rigging
- Aluminum or composite footplates
- Adjustable rear anti tipppers
- Padded laptray
- Locking collar (optional)
- Heel loops

## WARRANTY

The **Orion //** is warranted to be free from defects in materials and workmanship for a period of one (1) year from the date of purchase and lifetime for the frame. Upholstery for 90 days, under normal use.

Power Tilt Batteries are warranted for six (6) months while the control box, battery charger, actuator and hand control are warranted for one (1) year

**FDA CODE: K101277**